



Консоль (fk01)							
Номер	L	H	h	Кол-во отверстий	Диаметр отверстий	Масса	Несущая способность, кг
K1	280	200	120	2	11	1.28	150
K2	330	250	170	2	11	1.61	150
K3	400	300	220	2	11	2.23	150
K4	500	370	289	2	11	2.87	200
K5	600	440	180	3	11	3.52	200
K6	700	510	215	3	11	4.64	200
K7	950	680	300	3	11	8.07	200
K8	1300	980	450	3	11	14.01	200



Максимально возможное расстояние до трубы (площадка одностенная)								
Труба	K1 (280)	K2 (330)	K3 (400)	K4 (500)	K5 (600)	K6 (700)	K7 (950)	K8 (1300)
80	205	255	325	425	525	625	875	1225
100	195	245	315	415	515	615	865	1215
110	190	240	310	410	510	610	860	1210
115	190	240	310	410	510	610	860	1210
120	185	235	305	405	505	605	855	1205
125	185	235	305	405	505	605	855	1205
130	180	230	300	400	500	600	850	1200
135	180	230	300	400	500	600	850	1200
140	175	225	295	395	495	595	855	1195
150	170	220	290	390	490	590	840	1190
160	165	215	285	385	485	585	835	1185
180	155	205	275	375	475	575	825	1175
200	145	195	265	365	465	565	815	1165
220	135	185	255	355	455	555	805	1155
250	120	170	240	340	440	540	790	1140
280	105	155	225	325	425	525	775	1125
300	90	140	210	310	410	510	760	1110



Максимально возможное расстояние до сэндвича (площадка двустенная)								
Сэндвич	K1 (280)	K2 (330)	K3 (400)	K4 (500)	K5 (600)	K6 (700)	K7 (950)	K8 (1300)
80x160	155	205	275	375	475	575	825	1175
100x200	135	185	255	355	455	555	805	1155
110x200	135	185	255	355	455	555	805	1155
115x200	135	185	255	355	455	555	805	1155
120x200	135	185	255	355	455	555	805	1155
130x200	135	185	255	355	455	555	805	1155
135x200	135	185	255	355	455	555	805	1155
140x210	130	180	250	350	450	550	800	1150
150x210	130	180	250	350	450	550	800	1150
150x250	110	160	230	330	430	530	780	1130
160x250	110	160	230	330	430	530	780	1130
180x280	95	145	215	315	415	515	765	1115
200x280	95	145	215	315	415	515	765	1115
220x300	85	135	205	305	405	505	755	1105
250x350	55	105	175	275	375	475	725	1075
300x400	-	80	150	250	350	450	700	1050